

# My Vaccination Plan

I am \_\_\_\_\_ years old.

I am immunocompromised:  YES  NO

**Today I got my:**

1<sup>st</sup> Dose

2<sup>nd</sup> Dose

3<sup>rd</sup> Dose (only for immunocompromised people over 5 years OR children 6 months to 4 years)

1<sup>st</sup> Booster (only for people over 5 years)

2<sup>nd</sup> Booster (only for people over 50 OR immunocompromised people over 12)

## My “Staying Up to Date” Plan:

I got my first dose of the vaccine brand \_\_\_\_\_ on \_\_\_\_\_

If applicable: I get my 2<sup>nd</sup> dose of the same brand on \_\_\_\_\_

If applicable: I get my 3<sup>rd</sup> dose of the same brand on \_\_\_\_\_

I get my 1<sup>st</sup> booster shot of the vaccine brand \_\_\_\_\_ on \_\_\_\_\_

If applicable: I get my 2<sup>nd</sup> booster shot of the vaccine brand \_\_\_\_\_ on

\_\_\_\_\_

# COVID-19 Vaccination & Booster Timeline:

## Pfizer Vaccine (mRNA)

*For Ages 6 months to 4 years:*

Primary vaccine series:

- 3 total shots
- First 2 shots given 3-8 weeks apart
- Third shot is given 8 weeks after 2nd shot

*For Ages 5 and Up:*

Primary vaccine series:

- First 2 shots given 3-8 weeks apart

## Moderna Vaccine (mRNA)

*For Ages 6 Months and Up*

Primary vaccine series:

- First 2 shots given 4-8 weeks apart

## J&J Vaccine (viral vector)

*For Ages 18 and Up:*

One dose primary vaccine:

- 1 shot

## Novavax (protein subunit)

*For Ages 18 and Up:*

Primary vaccine series:

- 2 total shots given 3-8 weeks apart

## Booster Shots:

*For Ages 5 and Up:*

1<sup>st</sup> Booster:

- For most people, you can get an mRNA booster shot at least 5 months after your primary series, For moderately to severely immunocompromised you can get an mRNA booster at least 3 months after your primary series. You can get the viral vector (J&J vaccine) booster 2 months after your primary J&J vaccine.
  - This booster shot can be Pfizer, Moderna or J&J
    - Pfizer booster available for ages 5 and up
    - Pfizer, Moderna or J&J boosters available for ages 18 and up

*For Ages 50 and Up OR Immunocompromised people over 12:*

2nd Booster:

- You can get another booster shot at least 4 months after your first booster.
  - For ages 12-17 with compromised immune systems, this second booster shot can be Pfizer.
  - For ages 18-49 with compromised immune systems, this second booster shot can be Pfizer or Moderna.

For ages 50 and up, this second booster shot can be Pfizer or Moderna.

Source: "Stay Up to Date with Your COVID-19 Vaccines," Centers for Disease Control and Prevention,

July 2022